



EXPANSION VESSEL WITHOUT MEMBRANE



**PED 2014/68/UE
STAINLESS STEEL AISI 304**

Aço Inoxidável 1.4301 | Acero Inoxidable 1.4301 | Acier Inoxydable 1.4301




RESERVATÓRIOS HIDROPNEUMÁTICOS SEM MEMBRANA INTERCABIÁVEL
DEPÓSITOS DE EXPANSIÓN SIN MEMBRANA INTERCAMBIABLE
EXPASION VESSELS WITHOUT INTERCHANGEABLE MEMBRANE
VASES D' EXPANSION SANS MEMBRANE INTERCHANGEABLE



SÉRIE V

PED 2014/68/UE

Modelo Model	Volume L	P. Máx. Bar	A mm	B mm	C	D	E	F	Temp. °C
60 V	60	6	800	400	¼"	1¼"	1"	1"	-10 +50°C
100 V	100	6	1215	400	¼"	1¼"	1"	1"	-10 +50°C
200 V	200	6	1490	480	¼"	1¼"	1¼"	1"	-10 +50°C
300 V	300	6	1700	540	¼"	1¼"	1¼"	1"	-10 +50°C
400 V	400	6	1600	635	¼"	1¼"	1¼"	1"	-10 +50°C
600 V	600	6	2095	635	¼"	1¼"	1¼"	1"	-10 +50°C
750 V	750	6	1950	790	¼"	1¼"	2"	1"	-10 +50°C
1000 V	1000	6	2500	790	¼"	1¼"	2"	1"	-10 +50°C
150 V	150	6	1250	480	¼"	1¼"	1"	1"	-10 +50°C
500 V	500	6	1850	635	¼"	1¼"	1"	1"	-10 +50°C





RESERVATÓRIOS HIDROPNEUMÁTICOS SEM MEMBRANA INTERCAMBIÁVEL
DEPÓSITOS DE EXPANSIÓN SIN MEMBRANA INTERCAMBIABLE
EXPASION VESSELS WITHOUT INTERCHANGEABLE MEMBRANE
VASES D' EXPANSION SANS MEMBRANE INTERCHANGEABLE

SÉRIE H

PED 2014/68/UE

Modelo Model	Volume L	P. Máx. Bar	A mm	B mm	C	D	E	F	Temp. °C
100 V	100	6	1215	400	¼"	1¾"	1"	1"	-10 +50°C
200 V	200	6	1490	480	¼"	1¾"	1¾"	1"	-10 +50°C
300 V	300	6	1700	540	¼"	1¾"	1¾"	1"	-10 +50°C

